


TAUBER

PETROCHEMICAL CO.



DAVID W. TAUBER, Principal
 RICHARD E. TAUBER, Principal

A TAUBER COMPANY

CERTIFICATE OF ANALYSIS


INTERCONTINENTAL TERMINALS,
 1943 BATTLE GROUND ROAD, DEER PARK, TX

PRODUCT: NG TOLUENE
 SHORE TANK: 80-31 LOT #118

SAMPLED BY: Intertek Caleb Brett
 DATE TESTED: 7-6-09

AFTER DISCHARGE OF FMT 1012/1014/1048

METHOD	TEST	RESULTS
ASTM D 156	COLOR, SAYBOLT	+ 30
ASTM D 1209	COLOR, PT CO	5
VISUAL	APPEARANCE @ 65-78 DEG F	PASS (CLEAR & FREE)
ASTM D 4052	RELATIVE DENSITY 15.56/15.56 DEG C	0.8716
ASTM D 4052	API GRAVITY AT 60 DEG F	30.84
ASTM D 850	DISTILLATION RANGE IBP DRY POINT	0.4 110.5 110.9
ASTM D 849	COPPER CORROSION	PASS (1A)
ASTM D 848	ACID WASH COLOR ACID LAYER OIL LAYER	0+ PASS - NO DISCOLORATION
ASTM D 847	ACIDITY	PASS (NO FREE ACID)
GC	TOLUENE CONTENT, WT %	99.80
GC	BENZENE, WT %	0.018
GC	ETHYLBENZENE, WT %	0.025
ASTM D 2306	XYLENE, WT %	0.026
GC	C 8 AROMATICS, WT %	0.051
ASTM D 2360	NON AROMATICS, WT %	0.130
		VOL % 0.181
ASTM E 1064	WATER CONTENT, PPM	145
ASTM D 5453	SULFUR CONTENT, PPM	< 1.0
ASTM D 853	SULFUR DIOXIDE & HYDROGEN SULFIDE	PASS
GC	1, 4 DIOXANE, PPM	<5.0
ASTM D 841-02	NITRATION GRADE QUALITY	COMPLIES



PETROCHEMICAL MARKETING AND TRANSPORTATION
 Post Office Box 4645 Houston, Texas 77210

